

burgtec.

CATEGORY A


STANDARD





Application: All Workstation Frames, Moda Storage Frames, Handles, Selected Tables Warranty: 10 Years

DURALLOY



- Minimum Order QTYs may apply
- Priced on Application (Pricing may vary for projects)

Specifications

Application: Stream Workstation Frames, Selected Tables

Warranty: 10 Years

AS 3715 | AAMA 2603

CATEGORY C

ELECTRO®



- Minimum Order QTYs may apply
- Priced on Application (Pricing may vary for projects)

Specifications

Application: Stream Workstation Frames, Selected Tables Warranty: 10 Years

AS 3715 | AAMA 2603 | AAMA 2604

CURATED PALETTE



In an industry-first curation of laminates, metal coatings & timber stains, Burgtec has taken the best from the Laminex Colour Collection for a contemporary, harmonious materials palette. Celebrating voguish and classic hues of the current design era, this unique selection takes designer desking and storage to new heights.

Specifications

Application: Stream Workstation Frames, Moda Storage Frames, Handles, Selected Tables Warranty: 10 Years

MODA STORAGE HANDLES







Brushed Black



Brushed Grey



Metallic Grey



Metallic Golden Brown

NOTE: Unless specified otherwise, handles will be supplied as matching the selected frame colour.

NEOS STORAGE HANDLES



Brushed Matt Brass



Dull Brushed Nickel



Stain Chrome



Matt White



NOTE: Unless specified otherwise, handles will be supplied Matt Black.

GENERAL CARE AND MAINTENANCE

Chrome, anodised, polished or powdercoated metal surfaces

Clean with a damp, soft cloth or sponge using lukewarm soapy water. Strong detergents which contain bleach, acid or have an abrasive effect (such as scouring creams) should be avoided. Sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces should also be avoided. Ensure product is dried with clean fibre- free cloth after washing.

Stainless Steel

Stainless steel needs constant care and preventative maintenance. The surface needs to be wiped dry of moisture daily. This is to prevent the moisture being trapped under a cover of dust or seaspray which results in Tea staining. Stainless steel should be cleaned with 'White Lilly' cream cleaner (no abrasive) or a stainless-steel cleaner - usually in a spray can. Wipe over surface in direction of finish lines.



burgtec.com

